



# Option Code Reference Guide

GAM .....	2
GAS .....	2
GAT .....	2
GAW .....	3
GBM .....	3
GBS .....	3
GBT .....	4
GBW .....	4
GEM .....	4
GES .....	5
GET .....	5
GEW .....	5
GFM .....	6
GFS .....	6
GFT .....	7
GFW .....	7

## GAM

Code	Description
000	STANDARD FEATURES: FULLY INSULATED EMBOSSED GALVANIZED STEEL CABINET. QUARTZ GRAY PAINTED FRONT PANELS. DIRECT DRIVE MULTI-SPEED BLOWER. FLOWRATER COMPATIBLE TO CONDENSERS AND HEAT PUMPS. PLASTIC COIL DRAIN PAN AND POWDER COATED METAL HORIZONTAL DRAIN PAN CONVERTIBLE TO DOWNFLOW OR HORIZONTAL LEFT). FILTER RACK AND DISPOSABLE FILTER. HIGH EFFICIENCY EVAPORATOR COILS. 40 VA TRANSFORMER. WITH LEFT OR RIGHT HAND ELECTRIC CONNECTIONS. HEATER KITS AVAILABLE FOR DIFFERENT CAPACITY. INCLUDES DOWN-FLOW PLATES FOR CONVERSION

## GAS

Code	Description
000	STANDARD FEATURES: 40 VA TRANSFORMER, DIRECT DRIVE MULTI SPEED BLOWER, CHECK STYLE FLOWRATER USED FOR A/C AND HEAT PUMPS, PRIMARY & SECONDARY CONDENSATE DRAIN, ALL DRAIN CONNECTIONS 3/4" FPT, ELECTRONIC CONTROL BOARD, BUILT IN MOUNTING LOCATORS FOR MOUNTING, HIGH EFFICIENCY COPPER TUBE / ALUMINUM FIN COIL. SOLID/LOUVERED ACCESS PANELS AVAILABLE FOR PURCHASE. NOTE: FACTORY ASSEMBLED TXV VERSION AVAILABLE
001	1/4 HP MOTOR FOR GAT 30/36 ONLY
002	GAS WITH 120 V MOTOR AND CONTROLS
004	INCLUDE HEAT PUMP KIT
012	PULL-OUT ELECTRICAL DISCONNECT
013	ADD TWO 1/2" POLYESTER STRAPS (500 LBS NOMINAL BREAK STRENGTH) AROUND CARTON AFTER AIR HANDLER IS PACKAGED
014	INCLUDE HEAT PUMP KIT, ADD TWO 1/2" POLYESTER STRAPS (500 LBS NOMINAL BREAK STRENGTH) AROUND CARTON AFTER AIR HANDLER IS PACKAGED

## GAT

Code	Description
000	STANDARD FEATURES: 40 VA TRANSFORMER, DIRECT DRIVE MULTI SPEED BLOWER, CHECK STYLE FLOWRATER USED FOR A/C AND HEAT PUMPS, PRIMARY & SECONDARY CONDENSATE DRAIN, ALL DRAIN CONNECTIONS 3/4" FPT, ELECTRONIC CONTROL BOARD, BUILT IN MOUNTING LOCATORS FOR MOUNTING, HIGH EFFICIENCY COPPER TUBE / ALUMINUM FIN COIL. FULLY INSULATED, GALVANIZED STEEL CABINET, END OR BOTTOM RETURN AIR POSITION, LOW LEAK CABINET FEATURES. SOLID/LOUVERED ACCESS PANELS AVAILABLE FOR PURCHASE. NOTE: FACTORY ASSEMBLED TXV VERSION AVAILABLE
001	1/4 HP MOTOR FOR GAT 30/36 ONLY
002	GAT WITH 120 V MOTOR AND CONTROLS
003	RETURN AIR BLOCK OFF
004	INCLUDE HEAT PUMP KIT
005	CAP-1 BLOCK OFF CAP KIT (FITS GAT 18, 19, 24)
006	CAP-2 BLOCK OFF CAP KIT (FITS GAT 20, 25)
007	CAP-3 BLOCK OFF CAP KIT (FITS GAT 26, 30, 31, 36)
008	CAP-4 BLOCK OFF CAP KIT (FITS GAT 28, 32, 37)
009	SLIDE IN CHASSIS UNDER CASE CLIPS
010	SLIDE IN CHASSIS UNDER CASE CLIPS, INCLUDE HEAT PUMP KIT
012	PULL-OUT ELECTRICAL DISCONNECT
013	ADD TWO 1/2" POLYESTER STRAPS (500 LBS NOMINAL BREAK STRENGTH) AROUND CARTON AFTER AIR HANDLER IS PACKAGED
014	INCLUDE HEAT PUMP KIT, ADD TWO 1/2" POLYESTER STRAPS (500 LBS NOMINAL BREAK STRENGTH) AROUND CARTON AFTER AIR HANDLER IS PACKAGED

## GAW

Code	Description
000	STANDARD FEATURES: FULLY INSULATED CABINET, GALVANIZED STEEL CABINET WITH PAINTED FRONT PANELS, DIRECT DRIVE FLEX MOUNTED MULTI SPEED BLOWER, CHECK STYLE FLOWRATER USED FOR A/C AND HEAT PUMPS, BOTTOM PRIMARY & SECONDARY DRAIN W/ RIGHT SIDE PRIMARY, LOW LEAK CABINET FEATURES.
003	PERFORATED BOTTOM FRONT DOOR

## GBM

Code	Description
000	STANDARD FEATURES: FULLY INSULATED GALVANIZED STEEL CABINET SUITED TO ACCEPT HYDRONIC COIL KITS. PAINTED (QUARTZ GRAY TEXTURED) FRONT PANELS, DIRECT DRIVE MULTI-SPEED BLOWER. FLOWRATER COMPATIBLE TO CONDENSERS AND HEAT PUMPS. PLASTIC COIL DRAIN PAN AND POWDER COATED METAL HORIZONTAL DRAIN PAN CONVERTIBLE TO DOWNFLOW OR HORIZONTAL LEFT). FILTER RACK AND DISPOSABLE FILTER, HIGH EFFICIENCY EVAPORATOR COILS, LEFT OR RIGHT HAND. 120V SUPPLY ELECTRIC CONNECTION, MULTI-FUNCTION MICRO-PROCESSOR AND 40 VA TRANSFORMER. UNIT READY FOR INSTALLATION OF HYDRONIC HEATING KIT. FREEZE STAT INSTALLED.
001	GBM194 WITHOUT COIL
007	ADD HOSE BIB ON WATER OUT LINE

## GBS

Code	Description
000	STANDARD FEATURES:40 VA TRANSFORMER, DIRECT DRIVE MULTI SPEED BLOWER, CHECK STYLE FLOWRATER USED FOR A/C AND HEAT PUMPS, PRIMARY & SECONDARY CONDENSATE DRAIN, ALL DRAIN CONNECTIONS 3/4" FPT, ELECTRONIC CONTROL BOARD, BUILT IN MOUNTING LOCATORS, HIGH EFFICIENCY COPPER TUBE / ALUMINUM FIN COIL. SOLID/LOUVERED ACCESS PANELS AVAILABLE FOR PURCHASE. NOTE: FACTORY ASSEMBLED TXV VERSION AVAILABLE
001	NO COOLING COIL 18/24 UNITS ONLY (ADD 0 FOR METERING DEVICE)
002	NO COOLING COIL 30/36 UNITS ONLY (ADD 0 FOR METERING DEVICE)
003	ADD HOSE BIB ON WATER OUT LINE
004	REMOVE SCHRADER FROM HYDRONIC STUBOUT
005	NO HYDRONIC HEATING COIL
006	NO COOLING COIL
007	ADD HOSE BIB ON WATER OUT LINE
011	WEST COAST SPECIAL: ADD HOSE BIB ON WATER OUT LINE, SLIDE CHASSIS UNDER CASE CLIPS
013	ADD TWO 1/2" POLYESTER STRAPS (500 LBS NOMINAL BREAK STRENGTH) AROUND CARTON AFTER AIR HANDLER IS PACKAGED
014	INCLUDE HEAT PUMP KIT, ADD TWO 1/2" POLYESTER STRAPS (500 LBS NOMINAL BREAK STRENGTH) AROUND CARTON AFTER AIR HANDLER IS PACKAGED

## GBT

Code	Description
000	STANDARD FEATURES: 40 VA TRANSFORMER, DIRECT DRIVE MULTI SPEED BLOWER, CHECK STYLE FLOWRATER USED FOR A/C AND HEAT PUMPS, PRIMARY & SECONDARY CONDENSATE DRAIN, ALL DRAIN CONNECTIONS 3/4" FPT, ELECTRONIC CONTROL BOARD, BUILT IN MOUNTING LOCATORS, HIGH EFFICIENCY COPPER TUBE / ALUMINUM FIN COIL. FULLY INSULATED, GALVANIZED STEEL CABINET, END OR BOTTOM RETURN AIR POSITION, LOW LEAK CABINET FEATURES. SOLID/LOUVERED ACCESS PANELS AVAILABLE FOR PURCHASE. NOTE: FACTORY ASSEMBLED TXV VERSION AVAILABLE
001	NO COOLING COIL 18/24 UNITS ONLY (ADD 0 FOR METERING DEVICE)
002	NO COOLING COIL 30/36 UNITS ONLY (ADD 0 FOR METERING DEVICE)
004	REMOVE SCHRADER FROM HYDRONIC STUBOUT
005	NO HYDRONIC HEATING COIL
006	NO COOLING COIL
009	SLIDE IN CHASSIS UNDER CASE CLIPS
007	ADD HOSE BIB ON WATER OUT LINE
011	WEST COAST SPECIAL: ADD HOSE BIB ON WATER OUT LINE, SLIDE CHASSIS UNDER CASE CLIPS
013	ADD TWO 1/2" POLYESTER STRAPS (500 LBS NOMINAL BREAK STRENGTH) AROUND CARTON AFTER AIR HANDLER IS PACKAGED
014	INCLUDE HEAT PUMP KIT, ADD TWO 1/2" POLYESTER STRAPS (500 LBS NOMINAL BREAK STRENGTH) AROUND CARTON AFTER AIR HANDLER IS PACKAGED

## GBW

Code	Description
000	STANDARD FEATURES: FULLY INSULATED CABINET, 40 VA TRANSFORMER, GALVANIZED STEEL WITH PAINTED FRONT PANELS, DIRECT DRIVE FLEX MOUNTED MULTI SPEED BLOWER, CHECK STYLE FLOWRATER USED FOR A/C AND HEAT PUMPS, BOTTOM PRIMARY AND SECONDARY DRAIN W/ RIGHT SIDE, LOW LEAK CABINET FEATURES.
001	GBW18/24 WITHOUT COIL
002	GBW30/36 WITHOUT COIL
003	PERFORATED BOTTOM FRONT DOOR

## GEM

Code	Description
000	STANDARD FEATURES: FULLY INSULATED EMBOSSED GALVANIZED STEEL CABINET. QUARTZ GRAY PAINTED FRONT PANELS. DIRECT DRIVE MULTI-SPEED BLOWER. FLOWRATER COMPATIBLE TO CONDENSERS AND HEAT PUMPS. PLASTIC COIL DRAIN PAN AND POWDER COATED METAL HORIZONTAL DRAIN PAN CONVERTIBLE TO DOWNFLOW OR HORIZONTAL (LEFT). FILTER RACK AND DISPOSABLE FILTER. HIGH EFFICIENCY EVAPORATOR COILS. 40 VA TRANSFORMER. WITH LEFT OR RIGHT HAND ELECTRIC CONNECTIONS. HEATER KITS AVAILABLE FOR DIFFERENT CAPACITY. INCLUDES DOWN-FLOW PLATES FOR CONVERSION

## GES

Code	Description
000	STANDARD FEATURES: 40 VA TRANSFORMER, DIRECT DRIVE MULTI SPEED BLOWER, CHECK STYLE FLOWRATER USED FOR A/C AND HEAT PUMPS, PRIMARY & SECONDARY CONDENSATE DRAIN, ALL DRAIN CONNECTIONS 3/4" FPT, ELECTRONIC CONTROL BOARD, BUILT IN MOUNTING LOCATORS FOR MOUNTING, HIGH EFFICIENCY COPPER TUBE / ALUMINUM FIN COIL. SOLID/LOUVERED ACCESS PANELS AVAILABLE FOR PURCHASE. NOTE: FACTORY ASSEMBLED TXV VERSION AVAILABLE
004	INCLUDE HEAT PUMP KIT
012	PULL-OUT ELECTRICAL DISCONNECT
013	ADD TWO 1/2" POLYESTER STRAPS (500 LBS NOMINAL BREAK STRENGTH) AROUND CARTON AFTER AIR HANDLER IS PACKAGED
014	INCLUDE HEAT PUMP KIT, ADD TWO 1/2" POLYESTER STRAPS (500 LBS NOMINAL BREAK STRENGTH) AROUND CARTON AFTER AIR HANDLER IS PACKAGED

## GET

Code	Description
000	STANDARD FEATURES: 40 VA TRANSFORMER, DIRECT DRIVE MULTI SPEED BLOWER, CHECK STYLE FLOWRATER USED FOR A/C AND HEAT PUMPS, PRIMARY & SECONDARY CONDENSATE DRAIN, ALL DRAIN CONNECTIONS 3/4" FPT, ELECTRONIC CONTROL BOARD, BUILT IN MOUNTING LOCATORS FOR MOUNTING, HIGH EFFICIENCY COPPER TUBE / ALUMINUM FIN COIL. FULLY INSULATED, GALVANIZED STEEL CABINET, END OR BOTTOM RETURN AIR POSITION, LOW LEAK CABINET FEATURES. SOLID/LOUVERED ACCESS PANELS AVAILABLE FOR PURCHASE. NOTE: FACTORY ASSEMBLED TXV VERSION AVAILABLE
001	SAME AS OPTION CODE
002	RETURN AIR BLOCK OFF CEILING MOUNT UNITS
004	INCLUDE HEAT PUMP KIT
005	CAP-1 BLOCK OFF CAP KIT (FITS GET 18, 19, 24)
006	CAP-2 BLOCK OFF CAP KIT (FITS GET 20, 25)
007	CAP-3 BLOCK OFF CAP KIT (FITS GET 26, 30, 31, 36)
008	CAP-4 BLOCK OFF CAP KIT (FITS GET 28, 32, 37)
009	SLIDE IN CHASSIS UNDER CASE CLIPS
010	SLIDE IN CHASSIS UNDER CASE CLIPS, INCLUDE HEAT PUMP KIT
011	PLUG ALL ELECTRICAL HOLES (HIGH AND LOW VOLTAGE) WITH PLASTIC COVERS, FACTORY WIRE TRANSFORMER TO 208V LEAD, SLIDE IN CHASSIS UNDER CASE CLIPS
012	PULL-OUT ELECTRICAL DISCONNECT
013	ADD TWO 1/2" POLYESTER STRAPS (500 LBS NOMINAL BREAK STRENGTH) AROUND CARTON AFTER AIR HANDLER IS PACKAGED
014	INCLUDE HEAT PUMP KIT, ADD TWO 1/2" POLYESTER STRAPS (500 LBS NOMINAL BREAK STRENGTH) AROUND CARTON AFTER AIR HANDLER IS PACKAGED

## GEW

Code	Description
000	STANDARD FEATURES: FULLY INSULATED CABINET, GALVANIZED STEEL CABINET WITH PAINTED FRONT PANELS, DIRECT DRIVE FLEX MOUNTED MULTI SPEED BLOWER, CHECK STYLE FLOWRATER USED FOR A/C AND HEAT PUMPS, BOTTOM PRIMARY & SECONDARY DRAIN W/ RIGHT SIDE PRIMARY, LOW LEAK CABINET FEATURES.
003	PERFORATED BOTTOM FRONT DOOR

## GFM

Code	Description
000	STANDARD FEATURES: FULLY INSULATED GALVANIZED STEEL CABINET SUITED TO ACCEPT HYDRONIC COIL KITS. PAINTED (QUARTZ GRAY TEXTURED) FRONT PANELS, DIRECT DRIVE MULTI-SPEED BLOWER. FLOWRATER COMPATIBLE TO CONDENSERS AND HEAT PUMPS. PLASTIC COIL DRAIN PAN AND POWDER COATED METAL HORIZONTAL DRAIN PAN CONVERTIBLE TO DOWNFLOW OR HORIZONTAL LEFT). FILTER RACK AND DISPOSABLE FILTER, HIGH EFFICIENCY EVAPORATOR COILS, LEFT OR RIGHT HAND. 120V SUPPLY ELECTRIC CONNECTION, MULTI-FUNCTION MICRO-PROCESSOR AND 40 VA TRANSFORMER. UNIT READY FOR INSTALLATION OF HYDRONIC HEATING KIT. FREEZE STAT INSTALLED.
007	ADD HOSE BIB ON WATER OUT LINE

## GFS

Code	Description
000	STANDARD FEATURES: 40 VA TRANSFORMER, DIRECT DRIVE MULTI SPEED BLOWER, CHECK STYLE FLOWRATER USED FOR A/C AND HEAT PUMPS, PRIMARY & SECONDARY CONDENSATE DRAIN, ALL DRAIN CONNECTIONS 3/4" FPT, ELECTRONIC CONTROL BOARD, BUILT IN MOUNTING LOCATORS, HIGH EFFICIENCY COPPER TUBE / ALUMINUM FIN COIL. SOLID/LOUVERED ACCESS PANELS AVAILABLE FOR PURCHASE. NOTE: FACTORY ASSEMBLED TXV VERSION AVAILABLE
001	NO COOLING COIL 18/24 UNITS ONLY (ADD 0 FOR METERING DEVICE)
002	NO COOLING COIL 30/36 UNITS ONLY (ADD 0 FOR METERING DEVICE)
003	ADD HOSE BIB ON WATER OUT LINE
004	REMOVE SCHRADER FROM HYDRONIC STUBOUT
005	NO HYDRONIC HEATING COIL
006	NO COOLING COIL
007	ADD HOSE BIB ON WATER OUT LINE
011	WEST COAST SPECIAL: ADD HOSE BIB ON WATER OUT LINE, SLIDE CHASSIS UNDER CASE CLIPS
013	ADD TWO 1/2" POLYESTER STRAPS (500 LBS NOMINAL BREAK STRENGTH) AROUND CARTON AFTER AIR HANDLER IS PACKAGED
014	INCLUDE HEAT PUMP KIT, ADD TWO 1/2" POLYESTER STRAPS (500 LBS NOMINAL BREAK STRENGTH) AROUND CARTON AFTER AIR HANDLER IS PACKAGED

## GFT

Code	Description
000	STANDARD FEATURES: 40 VA TRANSFORMER, DIRECT DRIVE MULTI SPEED BLOWER, CHECK STYLE FLOWRATER USED FOR A/C AND HEAT PUMPS, PRIMARY & SECONDARY CONDENSATE DRAIN, ALL DRAIN CONNECTIONS 3/4" FPT, ELECTRONIC CONTROL BOARD, BUILT IN MOUNTING LOCATORS FOR MOUNTING, HIGH EFFICIENCY COPPER TUBE / ALUMINUM FIN COIL. FULLY INSULATED, GALVANIZED STEEL CABINET, END OR BOTTOM RETURN AIR POSITION, LOW LEAK CABINET FEATURES. SOLID/LOUVERED ACCESS PANELS AVAILABLE FOR PURCHASE. NOTE: FACTORY ASSEMBLED TXV VERSION AVAILABLE
001	NO COOLING COIL 18/24 UNITS ONLY (ADD 0 FOR METERING DEVICE)
002	NO COOLING COIL 30/36 UNITS ONLY (ADD 0 FOR METERING DEVICE)
003	RETURN AIR BLOCK OFF
004	REMOVE SCHRADER FROM HYDRONIC STUBOUT
005	NO HYDRONIC HEATING COIL
006	NO COOLING COIL
009	SLIDE IN CHASSIS UNDER CASE CLIPS
007	ADD HOSE BIB ON WATER OUT LINE
011	WEST COAST SPECIAL: ADD HOSE BIB ON WATER OUT LINE, SLIDE CHASSIS UNDER CASE CLIPS
013	ADD TWO 1/2" POLYESTER STRAPS (500 LBS NOMINAL BREAK STRENGTH) AROUND CARTON AFTER AIR HANDLER IS PACKAGED
014	INCLUDE HEAT PUMP KIT, ADD TWO 1/2" POLYESTER STRAPS (500 LBS NOMINAL BREAK STRENGTH) AROUND CARTON AFTER AIR HANDLER IS PACKAGED

## GFW

Code	Description
000	STANDARD FEATURES: FULLY INSULATED CABINET, 40 VA TRANSFORMER, GALVANIZED STEEL WITH PAINTED FRONT PANELS, DIRECT DRIVE FLEX MOUNTED MULTI SPEED BLOWER, CHECK STYLE FLOWRATER USED FOR A/C AND HEAT PUMPS, BOTTOM PRIMARY AND SECONDARY DRAIN W/ RIGHT SIDE, LOW LEAK CABINET FEATURES.
003	PERFORATED BOTTOM FRONT DOOR